

-1-

## METHODS AND APPARATUS FOR PROCESSING CASH ADVANCE REQUESTS

### BACKGROUND OF THE INVENTION

5 This invention relates generally to lending and, more particularly, to methods and apparatus for automating lending processes.

Managing financial risk in lending often requires closely monitoring the financial status of borrowing customers. Such monitoring sometimes requires extensive financial reporting by the borrowing customer, such as tracking accounts receivables, account payables, and inventory. In addition, a lender  
10 typically analyzes each such financial report. Analysis of the financial reports by the lender sometimes requires extensive resources, and results in delays by the lender in granting credit to the borrowing customer.

To speed up lending processes, and to comply with reporting requirements, borrowers utilize facsimile and overnight delivery of  
15 information. In addition, reports are sometimes transmitted electronically, e.g., via e-mail or by conventional mail on a floppy disk. Electronic transmissions using fixed file formats for invoice information also are used in "factoring" type loans.

Although information can be more quickly delivered using a facsimile,  
20 overnight delivery, or electronic transmission, the reports must still be managed and analyzed. Such document management and analysis requires extensive resources and sometimes result in delays in the lending process or not analyzing all the information, which increases potential for issues and risk, and leads to added costs.

### 25 BRIEF SUMMARY OF THE INVENTION

The present invention, in one aspect, includes systems and processes for lending that utilize integrated Internet-based electronic reporting and

workflow process management. The system is configured to facilitate electronic submission of financial reports from accounting systems using native reporting tools, automated extraction of financial information from the submitted reports, on-line requests for credit, document management and business process automation, automated risk assessment, and web-based financial reporting for both internal and external system users.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of an exemplary embodiment of a server architecture.

Figure 2 is a block diagram of an alternative exemplary embodiment of a server architecture.

Figure 3 is a functional block diagram based on the server architectures illustrated in Figures 1 and 2.

Figure 4 is a class diagram for a general information model.

Figure 5 is a class diagram for an asset based loan information model.

Figure 6 is a class diagram for a core account model.

Figure 7 is a class diagram for an invoice model.

Figure 8 is a class diagram for a payment model.

Figure 9 is a class diagram for an accounts receivable model.

Figure 10 is a class diagram for an accounts payable model.

Figure 11 is a class diagram for an inventory model.

Figure 12 is a class diagram for relationships between models for monitoring accounts payable, accounts receivables, ineligible, and inventory.

Figure 13 is a block diagram of a print driver.

Figure 14 is an activity diagram for generation of customer defined reports, and manual export and exhibit completion.

Figure 15 is an activity diagram for generation of system reports, and manual export and exhibit completion.

Figure 16 is an activity diagram for generation of customer defined reports, manual export, and automated exhibit completion.

Figure 17 is an activity diagram for generation of system reports, and integrating reporting and exhibit completion.

5        Figure 18 is an activity diagram for generation of customer defined reports, and integrating reporting and exhibit completion.

Figure 19 is an activity diagram illustrating print scraping processes.

Figure 20 illustrates error processing.

10        *Sub B1* Figure 21 is an activity diagram for monitoring accounts receivable, accounts payable, and inventory.

Figure 22 is an activity diagram for facsimile-based client report submission.

Figure 23 is an activity diagram for processing cash advance requests.

Figure 24 is an activity diagram for updating financial information.

15        Figure 25 is an activity diagram for determining accounts receivable performance.

Figure 26 is an activity diagram for determining accounts payable performance.

20        Figure 27 is an activity diagram for determining inventory performance.

#### DETAILED DESCRIPTION OF THE INVENTION

Exemplary embodiments of systems and processes that facilitate integrated Internet-based electronic reporting and workflow process management are described below in detail. The systems and processes  
25        facilitate, for example, electronic submission of financial reports from accounting systems using native reporting tools, and automated extraction of financial information from the submitted reports, on-line requests for credit, document management and business process automation, automated risk

assessment, and web-based financial reporting for both internal and external system users.

The systems and processes are not limited to the specific embodiments described herein. In addition, components of each system and each process can be practiced independent and separate from other components and processes described herein. Each component and process can be used in combination with other components and processes.

### System Architecture

Referring now to the drawings, Figure 1 is a block diagram of an exemplary embodiment of a server architecture of a lending system 10. As illustrated in Figure 1, system 10 includes a web server 12, an application server 14, a database server 16, a directory server 18, a workflow server 20, and a mail server 22. A disk storage unit 24 is coupled to database server 16 and director server 18. Servers 12, 14, 16, 18, 20, and 22 are coupled in a local area network (LAN) 24. In addition, an account manager work station 26, a collateral analyst work station 28, a portfolio manager work station 30, an underwriter work station 32, and a senior manager work station 34 are coupled to LAN 24. Alternatively, work stations 26 - 34 are coupled to LAN 24 via an Internet link.

Each work station 26, 28, 30, 32, and 34, in the exemplary embodiment, is a personal computer including a web browser. Although the functions performed by the account manager, collateral analyst, portfolio manager, underwriter, and senior manager typically are illustrated as being performed at respective work stations 26, 28, 30, 32, and 34, such functions can be performed at one of many personal computers coupled to LAN 24. Work stations 26, 28, 30, 32, and 34 are illustrated as being associated with separate functions only to facilitate an understanding of the different types of functions that can be performed by individuals having access to LAN 24.

Web server 12 and mail server 22 are configured to be communicatively coupled to respective borrowing customers 36 and to third party customers, e.g., auditors, 38 via an ISP Internet connection 40. The communication in the exemplary embodiment is illustrated as being performed via the Internet, however, any other wide area network (WAN) type communication can be utilized in other embodiments, i.e., the systems and processes are not limited to being practiced via the Internet. In addition, and rather than a WAN, a local area network could be used in place of the WAN.

In the exemplary embodiment, each borrowing customer 36 has a legacy accounting system 42 coupled to a financial officer work station 44. Work station 44 is configured to communicate with web server 12 and mail server 22. As used herein, the term legacy accounting system refers to a back office composite set of systems that perform accounting functions (e.g., general ledger, accounts receivable, accounts payable, inventory). Many different accounting systems currently are in use, or may be used, by borrowing customers.

Figure 2 is a block diagram of an alternative exemplary embodiment of a server architecture of a lending system 50. Components in system 50 identical to components of system 10 are identified in Figure 2 using the same reference numerals as used in Figure 1. System 50 differs from system 10 in that system 50 includes a fax server 52 coupled to LAN 24. In the embodiment illustrated in Figure 2, fax server 52 communicates with borrowing customers 36 via a telephone link. Also, in system 50, the mail server is incorporated into web server 22.

The architectures of systems 10 and 50 are exemplary only. Other architectures are possible and can be utilized in connection with practicing the processes described below.

Figure 3 is a functional block diagram of processes performed using the architectures of systems 10 and 50. More specifically, a data repository 100

holds business and financial information (e.g., electronic copies of original financial reports, borrowing client and customer directories, loan terms and conditions, and account balance and details). The information in data repository 100 is typically stored in a combination of relational databases, object oriented databases, and directory servers.

Process management and workflow manager 102 includes business processes and rules defined and implemented using workflow and process management servers. Process management and workflow manager 102 may, for example, be a commercially available system such as the system known as the Verve Embedded Workflow System. Business activities (e.g., financial reporting and cash advance requests) are conducted according to these defined processes and procedures. System users participate in these processes in accordance with their roles and responsibilities, i.e., authorization levels, as described below in more detail. Of course, infrastructure other than workflow and process management servers can be used for performing these functions.

A document management system 104 collects and manages financial reports. Collateral and associated business process activities are archived in electronic form for later reference (e.g., for process and other business audits, and for disaster recovery) by system 104.

Automated document loading 106 enables information extraction from financial reports submitted by borrowing customers provided in arbitrary electronic formats. The financial reports are converted from arbitrary document formats to predefined formats for use in the automated analysis and reporting processes. An exemplary system for performing such functions is described below with reference to print scraping. The conversion process involves detecting the report type, mapping and translating the report information in to a standardized form, populating the online data repository with the financial details and summary information, reconciliation of financial information, and handling any exceptions or error conditions that may be

encountered in the conversion process. Each borrowing client may have a unique set of reporting formats with unique mapping and translation processes. Examples of commercially available mapping and translation systems include Data Junction, Mercator, and Monarch.

5           Reporting and analysis tools 108 utilize business-specific process parameters and borrowing client financial information to drive the automated risk analysis and reporting processes. Reporting software that include risk analysis tools include SQR server (SQRIB) and Business Objects (WEBI), which are well known and commercially available. This information is used  
10       to make business decisions (e.g., extend or tighten credit for borrowing customers). Processing associated with such activities is described below in detail.

          Mail server 22 dispatches e-mail notifications. Server functionality may be performed using, for example, commercially available software such  
15       as Microsoft Exchange, Netscape Messenger, Lotus Notes, or UNIX SMTP mail. Any notification system such as voice mail and fax, in addition to or as a substitute for, e-mail notifications, also can be used.

          Web server 12 facilitates interactions with system users, e.g., borrowing customers, and internal users such as account managers, collateral  
20       analyst, and portfolio managers. Client communications are handled by commercially available software such as Web browsers and other application software (e.g., network enabled print drivers). Of course, e-mail systems also can be used for client communications.

25 *WLB*       Fax server 52 receives collateral information from customers that the customers have in paper form (e.g., bills of lading, paper copies of invoices) and then routes this information in electronic form to data repository 100, e.g., to the document management and workflow process engine 102. Additional details regarding fax server 52 are set forth below.

Loan management system 112, such as the commercially available loan management system known as ABLE, and data warehouse 114, such as an internal data warehouse, refer to back office systems and related operations. Specifically, the back office system is used to manage and track financial deals with borrowing customers, and system 112 uses terminal interfaces 115 to interact with users and batch file interfaces 117 to communicate with other back office applications. Data warehouse 114 provides a business data warehouse and reporting infrastructure 119.

E-Mail alerts 116 notify system users of pending information and/or actions that either require attention (e.g., review and approval actions) or that may be of interest (e.g., risk assessment reports). Web browser 118 enables user interaction with, for example, data repository 100. Commercially available web browsers, such as Netscape Navigator, Communicator and Microsoft Internet Explorer, can be utilized.

Legacy account system 42 refers to an internal accounting system used by a borrowing customer. There are several hundred different types of commercial accounting packages in use, as well as numerous instances of custom built accounting systems.

Reporting process 120 involves the use of various reporting tools which are typically integrated with legacy accounting system 42 to generate a variety of financial reports (e.g., accounts receivable, accounts payables, sales journal, inventory). The types of reports and corresponding report formats used by borrowing customers vary widely.

Automated reporting tools 122 integrate with legacy accounting system 42 to handle the electronic delivery of the required financial reports. Automated reporting tools 122 are integrated with reporting process 120 and may be invoked manually by a person acting on behalf of the borrowing customer, or automatically in accordance with defined business rules (e.g., daily, weekly, or monthly reporting schedules).



Exhibits 124 are typically manually generated summaries of current financial information that a client records. Exhibits 124 are used to simplify data entry into the back office systems. Paper collateral 126 refers to paper copies associated with business transactions (e.g., invoices, bills of lading) required to document and later verify transactions during borrowing client audits as well as in other fraud detection processes. The automated and electronic based systems and processes described herein facilitate rendering manually generated exhibits as obsolete.

#### Information Models

Set forth below are models identifying the data/object structures for use in systems 10 and 50. The models are exemplary only, and additional models and model structures can be used. The models are illustrated in Figures 4 - 13 in the universal modeling language (UML).

Referring again particularly to the drawings, Figure 4 is a class diagram illustrating a general information model 120. As shown in Figure 4, there are a variety of loan types, e.g., asset based loan 122, term loan 124, factoring loan 126. Some loan types, such as factoring loan 126, have further sub-classes, e.g., recourse factoring loan 128 and non-recourse factoring loan 130. Each loan type has its own requirements in terms of defining collateral, computing availability, payment, and processing terms, for example. Additional loan types can be added to the system by sub-classing a ClientLoan object 132 and building any additional classes required to define and track the loan.

Figure 5 is a class diagram for an asset based loan (ABL) information model 140. In ABL type loans 142, clients are advanced money based on current accounts receivable 144, accounts payable 146, and inventory information 148. Accounts receivable 144, accounts payable 146, and inventory objects 148 are populated based on data extracted from reports

generated by the legacy accounting system. Loan information is contained in a loan contract object 150. Defined loan covenants such as turn time, concentration, and ineligibles also are contained in object 150.

Figure 6 is a class diagram for a core account model 160. The classes of data illustrated in Figure 6 are used to store detailed invoice 162 and payment 164 information, as well as implement reconciliation, e.g., invoice adjustments 166, and other low-level analysis and reporting processes.

Figure 7 is a class diagram for an invoice model 180, and Figure 8 is a class diagram for a payment model 200. The invoice 182 and payment 202 objects, e.g., accounts payable and receivable invoice objects 184 and 186, and accounts payable and receivable payment objects 204 and 206, are sub-classes that support the specific requirements of the accounts receivable and accounts payable information.

15 *Not B47* Figure 9 is a class diagram for an accounts receivable model 220. The InvoiceAdjustment 166, ARInvoice 186, and ARPayment 206 objects are used to track accounts receivable information 146 and to reconcile invoices and payments. These objects are also used by higher level analysis and reporting tools (e.g., to determine ineligibles, for fraud detection, risk management, and on-site client audits).

20 Figure 10 is a class diagram for an accounts payable model 240. The InvoiceAdjustment 166, APInvoice 184, and APPayment 204 objects are used to track accounts payable information 146 and to reconcile the invoices and payments. These objects are also used by higher level analysis and reporting tools (e.g., for fraud detection, risk management, and on-site client audits).

25 Figure 11 is a class diagram for an inventory model 260. The InventoryPerpetualListing 262, InventoryAdjustment 264, and InventoryItem 266 objects are used to track inventory information and to determine ineligible inventory items. These objects are also used by higher level analysis and

5

10

## 15

20

25

the reports are generated from a diverse set of accounting systems, the degree to which information can be automatically extracted depends on the reporting capabilities of the accounting systems and the ability to map and translate information from a customer defined formats to a system format.

5           With respect to electronic submission, either a fixed format for each of the required reports is defined, or translation services that map a customer defined format into a format understood by the system are utilized. By establishing a format for required reports, the ability to extract information from the customer submitted documents simply becomes a matter of  
10       programmatic extraction. Having standardized report formats assumes that the client accounting systems have the ability to generate custom reports, or have the ability to use third party reporting packages.

          In the event that the customer is unable to control the format of their financial reports or is unable to comply with the format of the system report,  
15       there must be some facility to translate the customer report into an acceptable format. The translation services require that the customer format can be easily parsed and have relevant data extracted from the report.

          The accounting system reports need to be electronically submitted to the system. There are a number of ways these reports can be submitted, which  
20       affect functionality and end user interaction. For example, the submission of reports can be accomplished by using a web browser, i.e., the HTTP transmission protocol. Other transmission protocols, such as FTP and SMTP also can be used. The use of a web browser, however, limits automating the reporting process. A more integrated approach to electronic document  
25       submission is through the use of desktop software. Desktop software provides tighter integration with the accounting system, as well as provides the ability to automate the reporting process.

          With respect to a web browser, users generate the required reports and then export those reports from their accounting system into a format that can

be processed by the system. The customer may automate the generation of the financial reports. However, the actual browser based submission of the reports is not automated. Integration with the accounting system depends on the ability to export reports to a file system that can be seen by a web browser (i.e. local or network file system). The loose integration with the accounting system provides the ability to serve the largest possible customer base. The actual submission of the electronic reports involves user interaction and is not automated.

Through the use of a virtual printer, users simply print the required reports from within their accounting system. Instead of generating paper output, the virtual printer submits the report electronically to the system. The virtual printer interface provides a tight integration with the accounting system, since the user actually submits the report electronically from within their accounting package. Additionally, the submission of the report is done at the point of review. The user views what he/she is about to submit. By sending the report to the virtual printer, the user confirms that the information is correct and up-to-date.

Customers also can be provided with a stand-alone application capable of electronically submitting a report on a file by file basis. If clients generate reports from a command line application, the clients couple the generation of the reports with electronic submission through the use of scripting. Clients then schedule the appropriate scripts to execute automatically to satisfy the reporting requirements. Provided that the client automatically schedules the report generation and submission, the entire reporting process occurs without user interaction.

With respect to alternative communications between a customer and the system, and in order to address the broadest client base, it is necessary to have several different accounting system interfaces. An interface definition is a pair-wise combination of report format and method for electronic submission.

At the lowest level interface (Level I), the broadest spectrum of client base is addressed by having the loosest coupling to the accounting system. However, the loosest coupling requires the most user interaction. As the interface level increases, the accounting system will have a tighter coupling with the system, which provides increased functionality at the expense of decreasing the number of clients to which the interface may be applied.

The interface levels are defined below. Generally, many clients may initially start at the Level I interface. To achieve the benefits of the automated submission and analysis, the objective is to transition such clients from Level I to Levels IV and V as quickly as reasonably possible.

Level I - Customer Defined Reports, Manual Export and Exhibit Completion

Level II - System Defined Reports, Manual Export and Automated Exhibit Completion

Level III - Customer Defined Reports, Manual Export and Automated Exhibit Completion

Level IV - System Defined Reports, Integrating Reporting and Exhibit Completion

Level V - Customer Defined Reports, Integrating Reporting and Exhibit Completion

In Figures 13 - 17, operations are identified as being performed by accounting system 42, the browser in a customer-side computer (e.g., computer 44), and a server (e.g., servers 12-22). More specifically, Figure

13 illustrates processing 300 for generating customer defined reports, and manual export and exhibit completion (Level I). The Level I interface depends on the client ability to export the reports from their accounting system to their local file system. Once the required reports are exported, the client can then submit the reports to the system using a standard web browser. During the submission process, the user identifies the report submitted and attaches the exported report to the web form (file upload). After submitting the required reports, the client then completes the corresponding exhibits, by transcribing summary information from the reports to another web form.

Specifically, at some time (after logging in), the user can check to determine whether reports are due 302. The user can enter their accounting system with the knowledge of what reports he/she must produce 304. After generating the desired report, the user then exports the report to their local file system (or one visible to the browser) 306. From the browser, the user selects to send the generated report 308. Since the report is being treated as an opaque object, the user must specify which report he/she is submitting, and attach the correct report to the form submission. The received report is stored 310 in a database, e.g., via database server 16. The reports are viewable by designated personnel. However, no attempt is made to programmatically extract any information from the report(s). Just after supplying with the appropriate reports, the user then fills out summary web form, which represent the current paper exhibits 312. The double entry is still required because no attempt is made to programmatically extract information from the documents. The exhibits are stored 314 for review by the appropriate personnel.

Figure 14 illustrates processing 320 for generation of system reports, and manual export and automated exhibit completion (Level II). The Level II interface depends not only on the client ability to export the required reports from their accounting system to their local file system, it also depends on the accounting system ability to generate the reports in a specific format. Once

the required reports are exported, the client can then submit the reports to the system using a standard web browser. During the submission process, the user simply attaches the exported report to the web form (file upload). Because the system defines the report format, it is possible to extract the information from the reports to automatically generate the supporting exhibits.

5 Specifically, at some time (after logging in), the user checks to determine whether reports are due 322. The user can enter their accounting system with the knowledge of what reports he/she must produce and must produce a report in the exact format specified 324. After generating the  
10 desired report, the user then exports the report to their local file system (or one visible to the browser) 326. From the browser, the user selects to send the generated report 328. The received report will be stored in a database 330. The reports are viewable by designated personnel. Exhibit information is then extracted 332 from the defined report format. The exhibits are stored  
15 334 for review by the appropriate personnel.

Figure 15 illustrates processing 340 for generation of customer defined reports, manual export, and automated exhibit completion (Level III). The Level III interface also depends on the client ability to export the required reports from their accounting system to their local file system. However, the  
20 client can use the reports which their accounting system already generates. Once the required reports are exported, the client can then submit the reports to the system using a standard web browser. During the submission process, the user simply attaches the exported report to the web form (file upload). The Level III interface requires that for every report type, from every client,  
25 that there is a translation service defined. The translation service allows the system to extract the information from the submitted reports to automatically generate the supporting exhibits.

Specifically, at some time (after logging in), the user checks to determine whether reports are due 342. The user can enter their accounting



system with the knowledge of what reports he/she must produce 344. These reports are the same reports the customer already uses. After generating the desired report, the user exports the report to their local file system (or one visible to the browser) 346. From the browser, the user selects to send the generated report 348. The received report is stored 350 in a database. The reports are viewable by designated personnel. The report is translated 352, using a pre-defined map, into a format that can be used to extract exhibit information. Exhibit information is then extracted 354 from the report(s). The exhibits are stored 356 for review by the appropriate personnel.

Figure 16 illustrates processing 360 for generation of system reports, and integrating reporting and exhibit completion (Level IV). The Level IV interface does not require clients to export reports to their local file system. Reports are submitted to the system directly from within the user accounting system. The interface to the system is provided through the operating system print services. A virtual printer (e.g., virtual printer 400 described below) is defined which routes the reports directly to the system rather than generating any paper output. Because the system defines the report format, it is possible to extract the information from the reports to automatically generate the supporting exhibits.

Specifically, at some time (after logging in), the user checks whether reports are due 362. The user can enter their accounting system with the knowledge of what reports he/she must produce and produces a report in the exact format specified 364. After generating the desired report, the user then prints the report from within their accounting system. The printer the user chooses to send the report to is actually a virtual printer, having an output that is an electronic submission of the report 366. The received report is stored 368 in a database. The reports are viewable by designated personnel. Exhibit information is extracted from the report(s) 370. The exhibits are stored 372 for review by the appropriate personnel.

Figure 17 illustrates processing 380 for generation of customer defined reports, and integrating reporting and exhibit completion (Level V). Similar to the Level IV interface, the Level V interface does not require clients to export reports to their local file system. Reports are submitted to the system directly from within the user accounting system. The interface to the system is provided through the print services of the operating system such as Windows, OS400, or UNIX print services. A virtual printer (e.g., virtual printer 400) is defined which routes the reports directly to the system rather than generating any paper output. The Level V interface requires that for every report type, from every client, that there is a translation service defined. The translation service allows the system to extract the information from the submitted reports to automatically generate the supporting exhibits.

Specifically, at some time (after logging in), the user checks whether reports are due 382. The user can enter their accounting system with the knowledge of what reports he/she must produce. These reports may be in the format they are already using 384. After generating the desired report, the user can then print the report from within their accounting system 386. The printer the user chooses to send the report to is actually a virtual printer, having an output that is an electronic submission of the report. The received report is stored 388 in a database. The reports will be viewable by designated personnel. The report is translated 390 and mapped into a format that can be loaded into data repository 100. Exhibit information is then extracted 392 from the report(s). The exhibits are stored 394 for review by the appropriate personnel.

#### Print Driver

Set forth below is a description of a print driver. Although the print driver is described herein in the context of financial lending processes, it should be understood that the print driver can be utilized in many other

contexts. Generally, the print driver can be used in connection with interfacing with a client using any legacy system.

Figure 18 is a block diagram of a virtual printer 400. Virtual printer 400 may, for example, be implemented in financial officer computer 44 (Figure 1). Printer 400 includes an application layer 402 that communicates with a graphical display interface 404, a user interface 406, and a spooler interface 408, e.g., WinSpool in the Windows operating system. Interface 404 communicates with a graphics device interface 410 that communicates with a print driver 412. Print driver 412 captures text output, e.g., in ASCII, while providing a reasonable approximation of the document layout. Graphical components are discarded. Since the output is plain text, driver 412 supports fixed width fonts to help preserve document layout. Other fonts are supported through substitution with the designated fixed width font. Additionally, the supported fonts are small point sizes, in order to prevent the application from truncating, or overlaying text. Driver 412 also supports large paper sizes (E or larger), to prevent text from wrapping.

Virtual printer 400 also includes a spooler 414 that communicates with WinSpool 408 and GDI 410. Spooler 414 communicates with a print driver user interface 416 and a print processor 418, which communicate with a language port monitor 420. Interface 416 allows custom properties to be associated with the virtual printer. These properties include information that is required to transmit information over the Internet. These properties are stored to preserve the settings with the user's profile, and include the URL to post the data to, UserID, Password, Password Policy, Always Ask (every time a document is submitted, the port monitor prompts the user for their password), and Remember Password (the print driver user interface stores the password, and provides the password to the port monitor).

Additionally, and when transmitting information to be extracted as described below in print scraping, print driver user interface 416 limits

properties of the printer, so the user cannot alter the layout of the document. For example, driver 412 does not allow the user to alter the paper size. The paper size is fixed to huge paper (E or larger) to reduce the possibility of wrapping. Driver 422 does not allow the user to select multiple copies for printing, nor does driver 412 allow a user to select duplex printing. Driver 412 also supports small, fixed width fonts, through substitution, and discards graphics.

A port monitor 422 communicates with monitor 420, and during the StartDoc entry point in Windows print services, port monitor 422 requests a username and password, based on the custom properties associated with the virtual printer. The printed information is then routed to a temporary file. Once all the information is written to that file, an HTTPS Client 424 is invoked as a detached process, with the appropriate parameters to transmit the data over the Internet. Of course, other protocols such as SMTP, HTTP, and FTP can be used for such transmission. The information needed to submit the data electronically is provided from the custom properties defined by printer driver user interface and includes the name of the temporary file created by port monitor. After the HTTPS Client terminates, the temporary file is removed regardless of successful transmission.

HTTPS client 424 leverages the WinInet library (of course, operating systems other than Windows could be used) to perform the secure HTTP negotiation. HTTPS client 424, in an exemplary embodiment, is a stand-alone console application, which port monitor 422 invokes as a detached process. HTTPS client 424 could, alternatively, be integrated with port monitor 422. Optionally, users could leverage stand-alone HTTPS client 424 to submit reports in a batch mode, from a scripting environment.

Upon startup, HTTPS client 424 checks whether the user needs to establish a connection with their ISP. If no connection exists, the user will be prompted to connect. After establishing that there is Internet connectivity,

client application 402 compresses the temporary file and submits the compressed file to the designated URL using the supplied user name and password information for authentication. Due to the nature of the HTTP POST protocol, the entire document must be assembled before beginning transmission, which prevents the streaming of data as the document is being prepared. HTTPS client 424 provides progress indication to spooler 414. Alternatively, a pop-up progress bar can be provided to indicate transmission progress from within the HTTPS client application.

#### Print Scraping

Automatically exchanging information with another party via electronic documents is difficult. Typically both parties agree on using a common set of file exchange formats, which requires both parties to implement the necessary software logic to work with the mutually agreed upon exchange formats. However, when one of the participants involves a legacy computer application, it may not be practical to actually modify the application. Information therefore is exchanged using unstructured documents available through existing mechanisms, e.g., standard reporting interfaces and messaging mechanisms. To facilitate such unstructured information exchanges, software packages are commercially available that allow users to interactively work with unstructured electronic documents, define scripts to extract structured information from these documents, and facilitate importing the extracted information into a software system. However, these processes tend to be manual and require human knowledge and intervention to handle the arbitrary arrival of unstructured document types.

Set forth below is a description of a system and process that automate receiving of unstructured information contained in electronic documents, detecting the document type, determining the corresponding document format, extracting structured information from the source document, and populating

an information store with the extracted information for analysis purposes. Generally, the electronic documents are pre-characterized and mapping/translation details are developed as scripts on a per document type basis. These mapping/translation scripts are then automatically selected and  
5 used to automatically drive the subsequent information extraction processes.

Although print scraping is described herein in the context of financial lending, and specifically in the context of systems 10 and 50, print scraping can be utilized in many other contexts. Print scraping can be used in connection with extracting information from a legacy report format. More  
10 specifically, print scraping is performed using processes that extract meaningful data from flat files from various systems in order to update a database. Since legacy systems vary in format and structure reports differently, print scraping is used to parse out the required data for the database. As part of the process, the data is validated for errors and, in the  
15 context of financial lending, for example, the necessary business logic is applied for determining the credit availability for a client.

*Ans B7* Referring to Figure 19, print scraping is performed by application server 14, process management and workflow system 102, and an engine, sometimes referred to as a mapping and translation engine 500, such as the  
20 commercially available tools from Data Junction, which contain a suite of applications for defining grammars to parse files of non-uniform structure in order to perform print-scraping. The text extraction, in the exemplary embodiment, is performed by a commercially available system such as the known Cambio system. Once a script has been defined, the file can be parsed  
25 and pertinent data can be extracted, manipulated, mapped and transformed into a variety of output formats including direct inputs over ODBC into relational databases (e.g., an Oracle database) or output into a structured text file, such as an XML file.

The scripts can be exported from the development/testing environment and run in batch mode, or through scheduled processes on a workstation/server (e.g., a Solaris Unix or Hewlett-Packard servers) to process large numbers of similar files in the mapping and translation engine. These capabilities allow for easy integration into a workflow or pipeline style architecture. For each client, scripts are generated to parse the file formats for the pertinent data. These scripts are registered in repository 100, with a set of regular expressions, used for file recognition during the process.

Generally, the client integration system is a 3-tier pipeline within system 10. The pipeline is initiated by a user/customer who connects to application server 14 via the Internet or a print driver service. Upon uploading a file or group of files, the pipeline process begins first by trying to recognize what type of file the customer has uploaded against a repository of known file types for that user. If successful, recognition occurs and the process proceeds to the next stage, which is the parsing of data using a print scraping tool. In this stage, jobs are scheduled for processing in a priority queue/resource management system. Once processed, any errors that occur are submitted to workflow engine 20 and if no errors occur, the outputted extracted data from the print-scraping is read and mapped into a relational database, under control of the process management and workflow system.

More specifically, and referring again to Figure 19, once operations start 502, preprocessing 504 is performed to initiate file recognition. In this process, files that were uploaded by the user are scanned to determine whether preprocessing is needed. Preprocessing includes the extraction of electronic files from an archived formatted file such as ZIP or GZIP as well as conversions from standard character sets (e.g. EBCDIC to ASCII). Preprocessing also allows for extension in terms of the types of files that may need to be preprocessed. Preprocessing is flexible in that any processing techniques that may be needed can be utilized.

Sub B8

After the file has been preprocessed as described, and if there are preprocessing errors 506, a preprocessing error 508 message is generated, the execution flow through the processing pipeline is halted, and control is returned with the error condition to workflow and process manager 102. If there are no errors, and if the file needs to be segmented 510, a segmenting process 512 is initiated. If no segmentation is needed, the file is submitted with the data retrieved about known filetypes from data repository 100 to a file recognition process 514.

Segmentation is performed by attempting to identify the rows and columns in a document based on the layout of information within that document. This problem is known as the shifting columns problem and is largely caused by users changing the format of the document by increasing or decreasing the size of the columns from within the legacy systems. If the user changes the size and/or the spacing of the columns in the submitted file, it renders the submitted file unrecognizable by the extraction and mapping/translation processes, which rely on positional information of the data in order to extract the pertinent data from the files. Therefore, if necessary, a column recognition process is used on the file using segmentation and other graphical analysis algorithms to identify "edges" which define the boundaries of tables and columns within the tables. The segmentation process produces a delimited file, which does not depend on positional information. The outputted file from this process corrects the positional problems caused by the shifted columns and allows for the extraction and mapping/translation processes to work properly. Once segmentation is complete, or if no segmentation is necessary, the resultant file is submitted along with the known data types retrieved from the data repository to a file recognition process 514.

Sub B8

For file recognition 514, a list of known file types is retrieved from data repository 100 for the specific user who submitted the document. This list along with the preprocessed file is submitted to a screening algorithm which



scans the file against a list of regular expressions contained within the list of known file types. The scanning algorithm searches for a match between the content of the preprocessed file and one of the stored regular expressions. If a file has gone through the entire set of regular expressions for the given user and no match is made 516, control is returned to workflow and process manager 102 with an error message 518. If a file has gone through the set of known regular expressions and the file matches more than one regular expression in the set, an error 518 is sent and control is returned to workflow and process manager 102 indicating that the file could not be recognized. In this case, the filetype is ambiguous since it has matched more than one regular expression and therefore, a decision about which extraction and mapping/translation scripts to select can not be made. If a file is successfully matched with a corresponding regular expression, then the file, the data extraction script, and a translation script are passed on to a text extraction process 520.

When a given file reaches text extraction, it has been identified by file/report type as a specific type and the correct extraction script that can handle this file has been selected. The extraction script is used to extract relevant data from the flat file into a format from which mapping and translation 524 can occur.

*Sub B10*  
Data extracted during text extraction 520 is then mapped and translated 524 into an intermediate format. This process uses a script that dictates how to map the extracted data to the intermediate file format. If successful 526, the parsed data are then passed to workflow and process manager 102 for further processing 528. If errors occur during the mapping and translation of the extracted data, then a message 530 is sent and control is returned to workflow and process manager 102.

Referring now to Figure 20, and for error processing 540, errors output at steps 508, 518, and 530 result in updating an error log in data repository

542, moving the file with the error to a holding queue 544 in the workflow and process management system, and sending notifications, e.g., via e-mail alerts 546 to those specified to receive the alerts. In addition, manager 102 is notified 548 of the error.

5           Priority queuing may be necessary due to the manner in which the workflow and process management software is licensed, e.g., may not always have sufficient engine capacity to process all jobs. With respect to priority queuing when the system is not in a steady state, N low priority jobs may take up all the system resources. Depending on the size of the job and possible  
10       computational complexity of these jobs, the queue may become overloaded with smaller jobs that will not be executed within the specified time limit. If the arrival rate of the smaller jobs is greater than the speed at which the processing engine can complete a job, then the average response time for a task to complete will increase. Therefore, it is possible that the response time  
15       will exceed the allowable processing time. Preemptive processing and/or a specified scheduling of the engines can be used to avoid this problem. Specifically, in preemptive processing, if no free engines are available for a high priority job, a low priority job is suspended and rescheduled to free an engine for the use by the high priority job. If a low priority job is always  
20       preempted by a high priority job, it may never finish.

          To avoid starvation of low priority jobs, the following logic can be applied through the scheduling of the engines. If the system setup is such that one engine can be used for low priority or high priority jobs with the remaining engines being reserved for high priority jobs, then preemptive  
25       processing can occur in the following manner. If a process has a low priority and the queue is empty but the low priority engine is blocked, i.e., in use, then it can try to start running on a high priority engine. If at some point all engines are blocked and the low priority job is still blocking the high priority engine, it can be preempted and forced to wait for the low priority job engine

-27-

to be freed if processes of higher priority enter the system. If in the queue there exist a low priority job and a high priority job, but the low priority engine becomes free, the low priority job is given the engine. This is done to avoid starvation of the low priority jobs and to ensure that the low priority jobs will complete. A low priority job is not preempted from using the low priority engine.

### Processing

Exemplary processes that can be performed using systems 10 and 50, including electronic report submission, the virtual printer and print scraping, are described below. The processes can be performed using such exemplary systems, or alternatively, with other systems capable of performing the identified activities. Such processing therefore is not limited to being performed by systems 10 and 50.

Referring now specifically to the drawings, Figure 21 is an activity diagram for monitoring accounts receivable, accounts payable, inventory, trading partners, chart of accounts, invoices, and payments. Activities are located in respective columns based on the system that performs the activity, and the columns correspond to a client user system 560, a legacy accounting system 562, a report submission system 564, a web server 566, a process management and workflow system 568, a document management system 570, an automated document loading system 572, an online data repository system 574, a back office system 576, and a quality control system 578. Upon initiation of operations 580, user 560 reviews and approves the financial information 582. Accounting system 562 then generates a financial report 584, and a connection with web server 566 is established 586. An authentication routine 588 authenticates the user/client 590. Once authenticated 592, the financial report is transmitted 594 and web server 566 receives the report 596. Activities 586, 588, 592, and 594 correspond to the

client report submission process described above. Process management and workflow system 568 then starts financial report processing 598 and records receipt of the report 600. The report is archived 602 in document management system 570. Financial information is then extracted 604, and a print scrape report 606 is generated, e.g., in accordance with the print scraping process described hereinbefore. If there are processing errors 608, then quality control system 578 reviews and corrects extraction problems 610, and another print scrape report 606 is generated. If there are no extraction errors, then extraction is complete 612. The financial information is then loaded into the data repository 614, and once loaded 616, and if there are data loading errors 618, then quality control system 578 reviews and corrects any errors 620 and the financial information is again loaded 616. If there are no errors, then process management and workflow system 568 loads collateral information 622, e.g., A/R, A/P, and inventory information. The client information is updated 624, and the updated financial information is merged with account details 626. In addition, the back office systems are updated 628, and client availability information 630 also is updated. Processing is then complete 632.

Figure 22 is an activity diagram for a facsimile-based client report submission. Activities are located in respective columns based on the system that performs the activity, and the columns correspond to a client user 640, an outbound fax machine system 642, an inbound fax server 644, a process management and workflow system 646, a document management system 648, a collateral analyst 650, and a data repository system 652. Upon starting operations 654, user 640 determines whether it has the required paper collateral 656. The collateral is then sent via fax 658, and is received 660 by inbound fax server 644. Upon receipt 662, the fax documents are compressed 664, and the compressed documents and the sender's station identifier are sent 666 to system 646. Upon receipt of this information 668, system 646 then records the document based on the sender identifier 670, e.g., caller

identification of phone or station identifier for fax machine, and the collateral document is archived 672. The document is then placed in a queue for review 674. Once the document review process is initiated 676, then collateral analyst 650 is prompted to review the document 678. The document is then pulled for review 680, and the document is matched with the client financial information 682 and a link is established between the document and the corresponding financial information 684. The collateral document also is archived with the matched financial information 686. The processing is then complete 688. An example of the matching process is matching a bill of lading with an invoice.

With respect to matching document with financial information 682, the facsimile based collateral is used to verify that A/R or inventory information listed on a client's books is actually correct. The information provided in an invoice and bill of lading provide sufficient information for a collateral analyst to contact a client and ensure that these entries are indeed correct. In order to support this process, the document images are classified and matched to the corresponding general ledger information. The matching process could be automated through form recognition and OCR mechanisms. However, the document images are typically facsimiles of copies of the original documents and thus may be too poor in image quality for automated processing.

With respect to linking documents to financial information 684, once a document image has been reviewed, classified, and matched to specific A/R or inventory entries, the document image is linked to the information in the data repository for later retrieval in a fraud detection process (e.g., on-site audit or verification phone call to borrowing client's customer or supplier).

Figure 23 is an activity diagram for processing cash advance requests. Activities are located in respective columns based on the system that performs the activity, and the columns correspond to a client user web browser 700, a web server 702, a process management and workflow system 704, a document

management system 706, an online data repository 708, and back office system 710. Upon starting operations 712, the client determines a need to borrow money 714. The client then connects to the web server 716, and authenticates to the server 718. Web server 702 then authenticates the client 720. Once authenticated 722, the user initiates a request for a cash advance 724. The request is forwarded 726 by server 702, and a cash advance request is created 728 by system 704. The cash advance request is recorded 730 and archived 732 by document management system 706. The current collateral information of the client is then evaluated 734, including a review of the status of current collateral 736. If the collateral is not up-to-date 738, then updated collateral information is provided 740 using the electronic report submission process (described above) and another evaluation is executed 734. If the collateral is up-to-date, then the current credit status of the client is evaluated 742 by analyzing current credit information 744.

In analyzing current credit information 744, a borrowing client's credit information is reviewed including whether money is actually available in the credit line, and whether the borrowing client's business is performing according to expectations. In addition, dilution is identified, e.g., number of credit memos and the discounting of invoices in the A/R. The advance rate also is reviewed. The advance rate refers to the percentage of total available collateral value, and the advance rate is used to determine the total credit line for the borrowing client. In general, the more risk associated with a loan, the lower the advance rate. With enhanced monitoring and reporting of the borrowing client, the advance rate can be increased. In addition, fraud possibilities are reviewed. For example, an increase in sales coupled with an increase in A/R turns may indicate that the borrowing client is not keeping accurate records.

After performing such analysis, a decision 746 is then made to initiate a manual review and approval process 748, or to automatically approve or

deny the request 750 in which case the decision is archived 752 and a denial notice is sent to the client 754, or to approve the request 756 in which case the decision is archived 752 and an approval notice is sent to the client 758. If approved, a wire transfer is initiated 760, and a fund transfer is made 762.

- 5 Once the wire transfer is complete 764, the wire transfer details are archived 766 and the client is notified that the wire transfer is complete 768. Operations are then complete 770.

Figure 24 is an activity diagram for updating financial information.

- 10 Activities identified in Figure 24 are performed by a process manager and workflow system 790. Specifically, upon starting a financial information update 792, the accounts receivable position is updated 794, the inventory position is updated 796, and the accounts payable position is updated 798. Generally, whenever the financial information is updated by receiving new financial information, the A/R, A/P, or inventory information should be
- 15 updated as well. These processes typically involve reconciling the new information with the current position, identifying and classifying ineligible, comparing the financial position with loan covenants, and analyzing the information with historical trends for the borrowing customer and against similar industries. Further, composite models that describe the correlation of
- 20 A/R, A/P, and inventory positions may be used to help identify fraud and possible performance problems for the borrowing customer.

Figure 25 is an activity diagram for determining accounts receivable performance. Activities are located in respective columns based on the system that performs the activity, and the columns correspond to a process manager and workflow system 800, an online data repository 802, and an account manager system 804. Upon starting an update of an accounts receivable position 806, repository 802 reconciles the accounts receivable (AR) position 808, determine AR ineligible 810, and calculates AR parameters 812. Reconciling A/R position typically involves reviewing the client's A/R

information, and matching invoices with payments and credit memos. Determining A/R ineligibles involves analyzing invoices in the A/R and applying a set of criteria that declares that certain invoices cannot be used to determine the current credit line (borrowing base). The criteria for deeming an invoice ineligible include contras (invoices to companies that the borrowing client also owes money), concentration (typically a limit is set on the maximum percent of business that a borrowing client may have with a customer and have it count towards the borrowing base), aging (invoices that have not been paid after a specified number of days since issued) and cross aging (if more than a specified percent of the total A/R for a specific customer is past due, then the entire A/R for that customer is declared ineligible).

The AR parameters (e.g., turn times, fixed charge coverage) are then compared to loan covenants 814. If an AR covenant violation is found 816, then the AR covenant status is reviewed and evaluated 818 by account manager 804. If no AR covenant evaluation is found 816, then the AR covenant evaluation is complete 820. In addition, and after comparing AR parameters to loan covenants 814, the AR parameters are compared to performance standards 822. Historical and industry-specific information can be used to detect aberrations in the borrowing customer's performance and may be used to help identify trouble early. An example of a comparison method is a statistical process chart. If AR performance issues are found 824, then the AR performance status is reviewed and evaluated 826 by the account manager 804. If AR performance issues are not found, then the AR performance evaluation is complete 828.

Figure 26 is an activity diagram for determining accounts payable performance. Activities are located in respective columns based on the system that performs the activity, and the columns correspond to a process manager and workflow system 840, an online data repository 842, and an account manager system 844. Upon starting an update of an accounts payable position



846, the accounts payable (AP) position is reconciled 848 (e.g., matching payments with invoices and credit memos) and AP parameters are calculated 850 by system 842. The AP parameters are then compared to loan covenants (e.g., turn times, fixed charge, coverage) 854, and if there is an AP covenant violation 854, then the AP covenant status is reviewed and evaluated 856. If there is no AP covenant violation, then the AP covenant evaluation is completed 858. Also, and after comparing AP parameters to loan covenants 852, the AP parameters are compared to performance standards 860. Historical and industry-specific information can be used to detect aberrations in the borrowing customer's performance and may be used to help identify issues. An example of a comparison method includes statistical process charts. If AP performance issues are identified 862, then the AP performance status is reviewed and evaluated 864. If there are no AP performance issues, then the AP performance evaluation is complete 866.

Figure 27 is an activity diagram for determining inventory performance. Activities are located in respective columns based on the system that performs the activity, and the columns correspond to a process manager and workflow system 880, an online data repository 882, and an account manager system 884. Upon starting an update of an inventory position 886, the inventory position is reconciled 888 and inventory ineligibles are identified 890. The determination of ineligibles involves analyzing the inventory information and applying a set of criteria that declares certain inventory items ineligible for the current credit line (borrowing base) or as being handled using a specific valuation formula (typically a fixed percentage). The criteria for deeming inventory items ineligible include obsolete inventory (for example, any item in stock for more than one year), breakage and scrap, sold to foreign entities, and inventory type (raw materials, work in progress, and finished goods in inventory might be valued differently).

Inventory parameters are then calculated 892 and the inventory parameters are compared to loan covenants 894. If an inventory covenant violation is found 896, then the inventory covenant status is reviewed and evaluated 898. If no violations are found, then the inventory covenant review is complete 900. Also, and after comparing inventory parameters to loan covenants 894, the inventory parameters are compared to performance standards 902. Historical and industry-specific information can be used to detect aberrations in the borrowing customer's performance and may be used to identify issues early. A statistical process chart could be used in performing such comparison. If inventory performance issues are identified 904, then the inventory performance status is reviewed and evaluated 906. If no inventory performance issues are identified 904, then the inventory performance evaluation is complete 908.

#### Risk Management

15 Risk management is accomplished using process management and workflow engine 102, electronic document management and control system 104, interactive analysis and reporting tools 122, and automated credit analysis and scoring methods. Process management and workflow engine 102 provide the basis for automating, enforcing, and tracking the defined business processes and rules (e.g., review and approval processes). When the borrowing customer and internal communications are handled electronically, document management system 104 stores and retrieves the information, as well as provides the basis for long-term archival storage of these documents, which also is useful in supporting audits and fulfilling legal obligations.

25 Interactive analysis and reporting tools 122 summarize the financial environmental and provide interactive "drill-down" on summary information to supporting detail information (via hypertext links, for example) for both specific borrowing customers and portfolios of borrowing customers. Tools

122 also are useful (or provide value added information services (e.g., competitive benchmarking) for the borrowing customers. Reporting tools 122 operate in mix of both batch and real-time execution modes and can be readily customized to generate new canned business reports as well as support extracts for off-line data analysis.

5  
10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995  
1000  
1005  
1010  
1015  
1020  
1025  
1030  
1035  
1040  
1045  
1050  
1055  
1060  
1065  
1070  
1075  
1080  
1085  
1090  
1095  
1100  
1105  
1110  
1115  
1120  
1125  
1130  
1135  
1140  
1145  
1150  
1155  
1160  
1165  
1170  
1175  
1180  
1185  
1190  
1195  
1200  
1205  
1210  
1215  
1220  
1225  
1230  
1235  
1240  
1245  
1250  
1255  
1260  
1265  
1270  
1275  
1280  
1285  
1290  
1295  
1300  
1305  
1310  
1315  
1320  
1325  
1330  
1335  
1340  
1345  
1350  
1355  
1360  
1365  
1370  
1375  
1380  
1385  
1390  
1395  
1400  
1405  
1410  
1415  
1420  
1425  
1430  
1435  
1440  
1445  
1450  
1455  
1460  
1465  
1470  
1475  
1480  
1485  
1490  
1495  
1500  
1505  
1510  
1515  
1520  
1525  
1530  
1535  
1540  
1545  
1550  
1555  
1560  
1565  
1570  
1575  
1580  
1585  
1590  
1595  
1600  
1605  
1610  
1615  
1620  
1625  
1630  
1635  
1640  
1645  
1650  
1655  
1660  
1665  
1670  
1675  
1680  
1685  
1690  
1695  
1700  
1705  
1710  
1715  
1720  
1725  
1730  
1735  
1740  
1745  
1750  
1755  
1760  
1765  
1770  
1775  
1780  
1785  
1790  
1795  
1800  
1805  
1810  
1815  
1820  
1825  
1830  
1835  
1840  
1845  
1850  
1855  
1860  
1865  
1870  
1875  
1880  
1885  
1890  
1895  
1900  
1905  
1910  
1915  
1920  
1925  
1930  
1935  
1940  
1945  
1950  
1955  
1960  
1965  
1970  
1975  
1980  
1985  
1990  
1995  
2000  
2005  
2010  
2015  
2020  
2025  
2030  
2035  
2040  
2045  
2050  
2055  
2060  
2065  
2070  
2075  
2080  
2085  
2090  
2095  
2100  
2105  
2110  
2115  
2120  
2125  
2130  
2135  
2140  
2145  
2150  
2155  
2160  
2165  
2170  
2175  
2180  
2185  
2190  
2195  
2200  
2205  
2210  
2215  
2220  
2225  
2230  
2235  
2240  
2245  
2250  
2255  
2260  
2265  
2270  
2275  
2280  
2285  
2290  
2295  
2300  
2305  
2310  
2315  
2320  
2325  
2330  
2335  
2340  
2345  
2350  
2355  
2360  
2365  
2370  
2375  
2380  
2385  
2390  
2395  
2400  
2405  
2410  
2415  
2420  
2425  
2430  
2435  
2440  
2445  
2450  
2455  
2460  
2465  
2470  
2475  
2480  
2485  
2490  
2495  
2500  
2505  
2510  
2515  
2520  
2525  
2530  
2535  
2540  
2545  
2550  
2555  
2560  
2565  
2570  
2575  
2580  
2585  
2590  
2595  
2600  
2605  
2610  
2615  
2620  
2625  
2630  
2635  
2640  
2645  
2650  
2655  
2660  
2665  
2670  
2675  
2680  
2685  
2690  
2695  
2700  
2705  
2710  
2715  
2720  
2725  
2730  
2735  
2740  
2745  
2750  
2755  
2760  
2765  
2770  
2775  
2780  
2785  
2790  
2795  
2800  
2805  
2810  
2815  
2820  
2825  
2830  
2835  
2840  
2845  
2850  
2855  
2860  
2865  
2870  
2875  
2880  
2885  
2890  
2895  
2900  
2905  
2910  
2915  
2920  
2925  
2930  
2935  
2940  
2945  
2950  
2955  
2960  
2965  
2970  
2975  
2980  
2985  
2990  
2995  
3000  
3005  
3010  
3015  
3020  
3025  
3030  
3035  
3040  
3045  
3050  
3055  
3060  
3065  
3070  
3075  
3080  
3085  
3090  
3095  
3100  
3105  
3110  
3115  
3120  
3125  
3130  
3135  
3140  
3145  
3150  
3155  
3160  
3165  
3170  
3175  
3180  
3185  
3190  
3195  
3200  
3205  
3210  
3215  
3220  
3225  
3230  
3235  
3240  
3245  
3250  
3255  
3260  
3265  
3270  
3275  
3280  
3285  
3290  
3295  
3300  
3305  
3310  
3315  
3320  
3325  
3330  
3335  
3340  
3345  
3350  
3355  
3360  
3365  
3370  
3375  
3380  
3385  
3390  
3395  
3400  
3405  
3410  
3415  
3420  
3425  
3430  
3435  
3440  
3445  
3450  
3455  
3460  
3465  
3470  
3475  
3480  
3485  
3490  
3495  
3500  
3505  
3510  
3515  
3520  
3525  
3530  
3535  
3540  
3545  
3550  
3555  
3560  
3565  
3570  
3575  
3580  
3585  
3590  
3595  
3600  
3605  
3610  
3615  
3620  
3625  
3630  
3635  
3640  
3645  
3650  
3655  
3660  
3665  
3670  
3675  
3680  
3685  
3690  
3695  
3700  
3705  
3710  
3715  
3720  
3725  
3730  
3735  
3740  
3745  
3750  
3755  
3760  
3765  
3770  
3775  
3780  
3785  
3790  
3795  
3800  
3805  
3810  
3815  
3820  
3825  
3830  
3835  
3840  
3845  
3850  
3855  
3860  
3865  
3870  
3875  
3880  
3885  
3890  
3895  
3900  
3905  
3910  
3915  
3920  
3925  
3930  
3935  
3940  
3945  
3950  
3955  
3960  
3965  
3970  
3975  
3980  
3985  
3990  
3995  
4000  
4005  
4010  
4015  
4020  
4025  
4030  
4035  
4040  
4045  
4050  
4055  
4060  
4065  
4070  
4075  
4080  
4085  
4090  
4095  
4100  
4105  
4110  
4115  
4120  
4125  
4130  
4135  
4140  
4145  
4150  
4155  
4160  
4165  
4170  
4175  
4180  
4185  
4190  
4195  
4200  
4205  
4210  
4215  
4220  
4225  
4230  
4235  
4240  
4245  
4250  
4255  
4260  
4265  
4270  
4275  
4280  
4285  
4290  
4295  
4300  
4305  
4310  
4315  
4320  
4325  
4330  
4335  
4340  
4345  
4350  
4355  
4360  
4365  
4370  
4375  
4380  
4385  
4390  
4395  
4400  
4405  
4410  
4415  
4420  
4425  
4430  
4435  
4440  
4445  
4450  
4455  
4460  
4465  
4470  
4475  
4480  
4485  
4490  
4495  
4500  
4505  
4510  
4515  
4520  
4525  
4530  
4535  
4540  
4545  
4550  
4555  
4560  
4565  
4570  
4575  
4580  
4585  
4590  
4595  
4600  
4605  
4610  
4615  
4620  
4625  
4630  
4635  
4640  
4645  
4650  
4655  
4660  
4665  
4670  
4675  
4680  
4685  
4690  
4695  
4700  
4705  
4710  
4715  
4720  
4725  
4730  
4735  
4740  
4745  
4750  
4755  
4760  
4765  
4770  
4775  
4780  
4785  
4790  
4795  
4800  
4805  
4810  
4815  
4820  
4825  
4830  
4835  
4840  
4845  
4850  
4855  
4860  
4865  
4870  
4875  
4880  
4885  
4890  
4895  
4900  
4905  
4910  
4915  
4920  
4925  
4930  
4935  
4940  
4945  
4950  
4955  
4960  
4965  
4970  
4975  
4980  
4985  
4990  
4995  
5000  
5005  
5010  
5015  
5020  
5025  
5030  
5035  
5040  
5045  
5050  
5055  
5060  
5065  
5070  
5075  
5080  
5085  
5090  
5095  
5100  
5105  
5110  
5115  
5120  
5125  
5130  
5135  
5140  
5145  
5150  
5155  
5160  
5165  
5170  
5175  
5180  
5185  
5190  
5195  
5200  
5205  
5210  
5215  
5220  
5225  
5230  
5235  
5240  
5245  
5250  
5255  
5260  
5265  
5270  
5275  
5280  
5285  
5290  
5295  
5300  
5305  
5310  
5315  
5320  
5325  
5330  
5335  
5340  
5345  
5350  
5355  
5360  
5365  
5370  
5375  
5380  
5385  
5390  
5395  
5400  
5405  
5410  
5415  
5420  
5425  
5430  
5435  
5440  
5445  
5450  
5455  
5460  
5465  
5470  
5475  
5480  
5485  
5490  
5495  
5500  
5505  
5510  
5515  
5520  
5525  
5530  
5535  
5540  
5545  
5550  
5555  
5560  
5565  
5570  
5575  
5580  
5585  
5590  
5595  
5600  
5605  
5610  
5615  
5620  
5625  
5630  
5635  
5640  
5645  
5650  
5655  
5660  
5665  
5670  
5675  
5680  
5685  
5690  
5695  
5700  
5705  
5710  
5715  
5720  
5725  
5730  
5735  
5740  
5745  
5750  
5755  
5760  
5765  
5770  
5775  
5780  
5785  
5790  
5795  
5800  
5805  
5810  
5815  
5820  
5825  
5830  
5835  
5840  
5845  
5850  
5855  
5860  
5865  
5870  
5875  
5880  
5885  
5890  
5895  
5900  
5905  
5910  
5915  
5920  
5925  
5930  
5935  
5940  
5945  
5950  
5955  
5960  
5965  
5970  
5975  
5980  
5985  
5990  
5995  
6000  
6005  
6010  
6015  
6020  
6025  
6030  
6035  
6040  
6045  
6050  
6055  
6060  
6065  
6070  
6075  
6080  
6085  
6090  
6095  
6100  
6105  
6110  
6115  
6120  
6125  
6130  
6135  
6140  
6145  
6150  
6155  
6160  
6165  
6170  
6175  
6180  
6185  
6190  
6195  
6200  
6205  
6210  
6215  
6220  
6225  
6230  
6235  
6240  
6245  
6250  
6255  
6260  
6265  
6270  
6275  
6280  
6285  
6290  
6295  
6300  
6305  
6310  
6315  
6320  
6325  
6330  
6335  
6340  
6345  
6350  
6355  
6360  
6365  
6370  
6375  
6380  
6385  
6390  
6395  
6400  
6405  
6410  
6415  
6420  
6425  
6430  
6435  
6440  
6445  
6450  
6455  
6460  
6465  
6470  
6475  
6480  
6485  
6490  
6495  
6500  
6505  
6510  
6515  
6520  
6525  
6530  
6535  
6540  
6545  
6550  
6555  
6560  
6565  
6570  
6575  
6580  
6585  
6590  
6595  
6600  
6605  
6610  
6615  
6620  
6625  
6630  
6635  
6640  
6645  
6650  
6655  
6660  
6665  
6670  
6675  
6680  
6685  
6690  
6695  
6700  
6705  
6710  
6715  
6720  
6725  
6730  
6735  
6740  
6745  
6750  
6755  
6760  
6765  
6770  
6775  
6780  
6785  
6790  
6795  
6800  
6805  
6810  
6815  
6820  
6825  
6830  
6835  
6840  
6845  
6850  
6855  
6860  
6865  
6870  
6875  
6880  
6885  
6890  
6895  
6900  
6905  
6910  
6915  
6920  
6925  
6930  
6935  
6940  
6945  
6950  
6955  
6960  
6965  
6970  
6975  
6980  
6985  
6990  
6995  
7000  
7005  
7010  
7015  
7020  
7025  
7030  
7035  
7040  
7045  
7050  
7055  
7060  
7065  
7070  
7075  
7080  
7085  
7090  
7095  
7100  
7105  
7110  
7115  
7120  
7125  
7130  
7135  
7140  
7145  
7150  
7155  
7160  
7165  
7170  
7175  
7180  
7185  
7190  
7195  
7200  
7205  
7210  
7215  
7220  
7225  
7230  
7235  
7240  
7245  
7250  
7255  
7260  
7265  
7270  
7275  
7280  
7285  
7290  
7295  
7300  
7305  
7310  
7315  
7320  
7325  
7330  
7335  
7340  
7345  
7350  
7355  
7360  
7365  
7370  
7375  
7380  
7385  
7390  
7395  
7400  
7405  
7410  
7415  
7420  
7425  
7430  
7435  
7440  
7445  
7450  
7455  
7460  
7465  
7470  
7475  
7480  
7485  
7490  
7495  
7500  
7505  
7510  
7515  
7520  
7525  
7530  
7535  
7540  
7545  
7550  
7555  
7560  
7565  
7570  
7575  
7580  
7585  
7590  
7595  
7600  
7605  
7610  
7615  
7620  
7625  
7630  
7635  
7640  
7645  
7650  
7655  
7660  
7665  
7670  
7675  
7680  
7685  
7690  
7695  
7700  
7705  
7710  
7715  
7720  
7725  
7730  
7735  
7740  
7745  
7750  
7755  
7760  
7765  
7770  
7775  
7780  
7785  
7790  
7795  
7800  
7805  
7810  
7815  
7820  
7825  
7830  
7835  
7840  
7845  
7850  
7855  
7860  
7865  
7870  
7875  
7880  
7885  
7890  
7895  
7900  
7905  
7910  
7915  
7920  
7925  
7930  
7935  
7940  
7945  
7950  
7955  
7960  
7965  
7970  
7975  
7980  
7985  
7990  
7995  
8000  
8005  
8010  
8015  
8020  
8025  
8030  
8035  
8040  
8045  
8050  
8055  
8060  
8065  
8070  
8075  
8080  
8085  
8090  
8095  
8100  
8105  
8110  
8115  
8120  
8125  
8130  
8135  
8140  
8145  
8150  
8155  
8160  
8165  
8170  
8175  
8180  
8185  
8190  
8195  
8200  
8205  
8210  
8215  
8220  
8225  
8230  
8235  
8240  
8245  
8250  
8255  
8260  
8265  
8270  
8275  
8280  
8285  
8290  
8295  
8300  
8305  
8310  
8315  
8320  
8325  
8330  
8335  
8340  
8345  
8350  
8355  
8360  
8365  
8370  
8375  
8380  
8385  
8390  
8395  
8400  
8405  
8410  
8415  
8420  
8425  
8430  
8435  
8440  
8445  
8450  
8455  
8460  
8465  
8470  
8475  
8480  
8485  
8490  
8495  
8500  
8505  
8510  
8515  
8520  
8525  
8530  
8535  
8540  
8545  
8550  
8555  
8560  
8565  
8570  
8575  
8580  
8585  
8590  
8595  
8600  
8605  
8610  
8615  
8620  
8625  
8630  
8635  
8640  
8645  
8650  
8655  
8660  
8665  
8670  
8675  
8680  
8685  
8690  
8695  
8700  
8705  
8710  
8715  
8720  
8725  
8730  
8735  
8740  
8745  
8750  
8755  
8760  
8765  
8770  
8775  
8780  
8785  
8790  
8795  
8800  
8805  
8810  
8815  
8820  
8825  
8830  
8835  
8840  
8845  
8850  
8855  
8860  
8865  
8870  
8875  
8880  
8885  
8890  
8895  
8900  
8905  
8910  
8915  
8920  
8925  
8930  
8935  
8940  
8945  
8950  
8955  
8960  
8965  
8970  
8975  
8980  
8985  
8990  
8995  
9000  
9005  
9010  
9015  
9020  
9025  
9030  
9035  
9040  
9045  
9050  
9055  
9060  
9065  
9070  
9075  
9080  
9085  
9090  
9095  
9100  
9105  
9110  
9115  
9120  
9125  
9130  
9135  
9140  
9145  
9150  
9155  
9160  
9165  
9170  
9175  
9180  
9185  
9190  
9195  
9200  
9205  
9210  
9215  
9220  
9225  
9230  
9235  
9240  
9245  
9250  
9255  
9260  
9265  
9270  
9275  
9280  
9285  
9290  
9295  
9300  
9305  
9310  
9315  
9320  
9325  
9330  
9335  
9340  
9345  
9350  
9355  
9360  
9365  
9370  
9375  
9380  
9385  
9390  
9395  
9400  
9405  
9410  
9415  
9420  
9425  
9430  
9435  
9440  
9445  
9450  
9455  
9460  
9465  
9470  
9475  
9480  
9485  
9490  
9495  
9500  
9505  
9510  
9515  
9520  
9525  
9530  
9535  
9540  
9545  
9550  
9555  
9560  
9565  
9570  
9575  
9580  
9585  
9590  
9595  
9600  
9605  
9610  
9615  
9620  
9625  
9630  
9635  
9640  
9645  
9650  
9655  
9660  
9665  
9670  
9675  
9680  
9685  
9690  
9695  
9700  
9705  
9710  
9715  
9720  
9725  
9730  
9735  
9740  
9745  
9750  
9755  
9760  
9765  
9770  
9775  
9780  
9785  
9790  
9795  
9800  
9805  
9810  
9815  
9820  
9825  
9830  
9835  
9840  
9845  
9850  
9855  
9860  
9865  
9870  
9875  
9880  
9885  
9890  
9895  
9900  
9905  
9910  
9915  
9920  
9925  
9930  
9935  
9940  
9945  
9950  
9955  
9960  
9965  
9970  
9975  
9980  
9985  
9990  
9995  
10000  
10005  
10010  
10015  
10020  
10025  
10030  
10035  
10040  
10045  
10050  
10055  
10060  
10065  
10070  
10075  
10080  
10085  
10090  
10095  
10100  
10105  
10110  
10115  
10120  
10125  
10130  
10135  
10140  
10145  
10150  
10155  
10160  
10165  
10170  
10175  
10180  
10185  
10190  
10195  
10200  
10205  
10210  
10215  
10220  
10225  
10230  
10235  
10240  
10245  
10250  
10255  
10260  
10265  
10270  
10275  
10280  
10285  
10290